

















My Name is


# FastPanel



Technical Data

# Technical Data

Characteristics	Detection result
 Dimensional stability	shringage in length $\leq 0.03\%$ shringage in width $\leq 0.03\%$ curling $\leq 0.07\text{mm}$
 Swelling in thickness after immersion in water	0%
 Boiling water resistance	No change
 Resistance to fire	NFPA Class B: B-s1, d0
 Peel Strength	80N/50mm
 Abrasion/Wear resistance	P $F_v \leq 3.3\text{mm}^3/100\text{r}$
 Color fastness to light	$\geq 6$
 Resistance to chemicals	No change, not affected
 Resistance to staining	Rating 5: no change
 Lead content test	ND
 Cadmium content test	ND
 Toxic Product-content safety (REACH SVHC)	ND Complies
 Soluble elements analysis in non-surface coating materials	ND
 Phthalate content test	ND
 Formaldehyde content test	ND



# J&R **CARE FOR CONSUMERS**

- **J&R GROUP LTD**  
170 S LINCOLN ST STE 150, SPOKANE, WA,  
99201 - 4443 USA
- **WEBSITE:** [www.stepguardfloors.com](http://www.stepguardfloors.com)  
**EMAIL:** [info@stepguardfloors.com](mailto:info@stepguardfloors.com)  
**TEL:** +86-400-629-9929



Official Website



Official WhatsApp

STEP GUARD flooring

Search

